

Energy™ Series Compact Premium Home Ellipticals Fitness Crosstrainers™ 200 Line



| MSRP | \$1,999 | \$2,499 | \$3,399 | \$3,699 |
|--|---|---|---|---|
| Console | | | | |
| Console Type | R20 5" high contrast LCD | R20 5" high contrast LCD | R20 5" high contrast LCD | R40 7" LCD Capacitive Touch Screen |
| Features | | | | |
| Frame Color Options | Silver | Silver | Silver | Silver |
| CrossRamp® (Adjustable Incline Range) | Manual | Manual | Motorized variable | Motorized variable |
| CrossRamp® Elevation Levels/Range | 3 levels 5, 20, 25 degrees | 3 levels 5, 20, 25 degrees | 8 levels 15-25 degrees | 8 levels 15-25 degrees |
| Resistance Levels | 16 | 16 | 16 | 16 |
| Variable Stride Length | 18-21 in 46-53 cm | 18-21 in 46-53 cm | 18-21 in 46-53 cm | 18-21 in 46-53 cm |
| Step-Up Height | 8.5 in / 22 cm | 8.5 in / 22 cm | 8.5 in / 22 cm | 8.5 in / 22 cm |
| Handlebars | Fixed | Moving | Moving | Moving |
| Entertainment Options | - | - | - | - |
| User IDs | 0 | 2 | 2 | 4 |
| Custom Workouts per User ID | - | 0 | 0 | 4 |
| In-Workout Feedback Metrics | 13 | 13 | 13 | 27 |
| Pre-Programmed Workouts | 10 | 10 | 10 | 40 (24 preset, 16 custom) |
| Maximum Resistance | 550 Watts | 550 Watts | 550 Watts | 550 Watts |
| Recommended Maximum User Weight* | Tested up to 275 lbs / 125 kg | Tested up to 275 lbs / 125 kg | Tested up to 275 lbs / 125 kg | Tested up to 275 lbs / 125 kg |
| Dimensions (LxWxH) | 75 x 29 x 65 in 191 x 74 x 165 cm | 75 x 29 x 65 in 191 x 74 x 165 cm | 75 x 29 x 65 in 191 x 74 x 165 cm | 75 x 29 x 65 in 191 x 74 x 165 cm |
| Product Weight | 193 lb / 72 kg | 193 lb / 72 kg | 214 lb / 80 kg | 214 lb / 80 kg |
| Power Requirements | 120V | 120V | 120V | 120V |
| Home Warranty** | | | | |
| | Lifetime frame and welds 5-year parts and wear items 3-year console 1-year labor | Lifetime frame and welds 5-year parts and wear items 3-year console 1-year labor | Lifetime frame and welds 5-year parts and wear items 3-year console 1-year labor | Lifetime frame and welds 5-year parts and wear items 3-year console 1-year labor |

■ Standard - Not offered

* Precor does not deny warranty claims based on user weight. Weight limits reported are recommended for best performance based on internal testing.

** These Precor warranties are based on in-home usage and are not warranted for commercial settings.

Precision™ Series Premium Home Ellipticals Fitness Crosstrainers™ 400 Line

EFX® 423



EFX® 427



EFX® 443



EFX® 447



| MSRP | \$4,299 | \$4,999 | \$4,799 | \$5,499 |
|--|--|--|--|--|
| Console | | | | |
| Console Type | R20 5" High Contrast LCD | R20 5" High Contrast LCD | R40 7" LCD Capacitive Touch Screen | R40 7" LCD Capacitive Touch Screen |
| Features | | | | |
| Frame Color Options | Silver | Silver | Silver | Silver |
| CrossRamp® (Adjustable Incline Range) | Motorized variable | Motorized variable | Motorized variable | Motorized variable |
| CrossRamp® Elevation Levels/Range | 20 levels 5-40 degrees | 20 levels 5-40 degrees | 20 levels 5-40 degrees | 20 levels 5-40 degrees |
| Resistance Levels | 20 | 20 | 20 | 20 |
| Variable Stride Length | 21-24 in 53-61 cm | 21-24 in 53-61 cm | 21-24 in 53-61 cm | 21-24 in 53-61 cm |
| Step-Up Height | 9.5 in / 24 cm | 9.5 in / 24 cm | 9.5 in / 24 cm | 9.5 in / 24 cm |
| Handlebars | Fixed | Convertible to both Moving or Fixed | Fixed | Convertible to both Moving or Fixed |
| Entertainment Options | - | - | - | - |
| User IDs | 2 | 2 | 4 | 2 |
| Custom Workouts per User ID | - | 0 | 4 | 0 |
| In-Workout Feedback Metrics | 13 | 13 | 27 | 27 |
| Pre-Programmed Workouts | 10 | 10 | 40 (24 preset, 16 custom) | 40 (24 preset, 16 custom) |
| Maximum Resistance | 625 Watts | 625 Watts | 625 Watts | 625 Watts |
| Recommended Maximum User Weight* | Tested up to 350 lbs / 159 kg | Tested up to 350 lbs / 159 kg | Tested up to 350 lbs / 159 kg | Tested up to 350 lbs / 159 kg |
| Dimensions (LxWxH) | 84 x 31 x 67 in 2131 x 79 x 171 cm | 84 x 31 x 67 in 2131 x 79 x 171 cm | 84 x 31 x 67 in 2131 x 79 x 171 cm | 84 x 31 x 67 in 2131 x 79 x 171 cm |
| Product Weight | 210 lb / 95 kg | 240 lb / 109 kg | 210 lb / 95 kg | 240 lb / 109 kg |
| Power Requirements | 120V | 120V | 120V | 120V |
| Home Warranty** | | | | |
| | Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor | Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor | Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor | Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor |

■ Standard - Not offered

* Precor does not deny warranty claims based on user weight. Weight limits reported are recommended for best performance based on internal testing.

** These Precor warranties are based on in-home usage and are not warranted for commercial settings.

Experience™ Series Commercial Elliptical Fitness Crosstrainers™ 600 and 700 Line



| MSRP | \$5,995 | \$8,095 | \$9,095 | \$5,795 | \$8,145 | \$9,145 |
|--|--|--|--|--|--|--|
| Console | | | | | | |
| Console Type | P30 Advanced LED display | P62 10" LCD Capacitive Touch Screen | P82 15" LCD Capacitive Touch Screen | P30 Advanced LED display | P62 10" LCD Capacitive Touch Screen | P82 15" LCD Capacitive Touch Screen |
| Features | | | | | | |
| Frame Color Options | Black or Silver | Black or Silver | Black or Silver | Black or Silver | Black or Silver | Black or Silver |
| CrossRamp® (Adjustable Incline Range) | Motorized variable | Motorized variable | Motorized variable | Fixed | Fixed | Fixed |
| CrossRamp® Elevation Levels/Range | 20 levels 10-35 degrees | 20 levels 10-35 degrees | 20 levels 10-35 degrees | 20 degrees | 20 degrees | 20 degrees |
| Resistance Levels | 20 | 20 | 20 | 20 | 20 | 20 |
| Variable Stride Length | 21-25 in 53-63 cm | 21-25 in 53-63 cm | 21-25 in 53-63 cm | 22.5 in 57 cm | 22.5 in 57 cm | 22.5 in 57 cm |
| Step-Up Height | 8 in / 20 cm | 8 in / 20 cm | 8 in / 20 cm | 8 in / 20 cm | 8 in / 20 cm | 8 in / 20 cm |
| Handlebars | Moving | Moving | Moving | Moving | Moving | Moving |
| Entertainment Options | - | Embedded | Embedded | - | Embedded | Embedded |
| User IDs | - | Unlimited with Preva® | Unlimited with Preva® | - | Unlimited with Preva® | Unlimited with Preva® |
| Custom Workouts per User ID | - | Unlimited with Preva® | Unlimited with Preva® | - | Unlimited with Preva® | Unlimited with Preva® |
| In-Workout Feedback Metrics | 18 | 18 | 18 | 18 | 18 | 18 |
| Pre-Programmed Workouts | 15 | 22 | 22 | 22 | 22 | 22 |
| Maximum Resistance | 534 Watts | 534 Watts | 534 Watts | 720 Watts | 720 Watts | 720 Watts |
| Recommended Maximum User Weight* | Tested up to 350 lbs / 159 kg | Tested up to 350 lbs / 159 kg | Tested up to 350 lbs / 159 kg | Tested up to 350 lbs / 159 kg | Tested up to 350 lbs / 159 kg | Tested up to 350 lbs / 159 kg |
| Dimensions (LxWxH) | 80 x 30 x 67 in 203 x 76 x 170 cm | 80 x 28 x 71 in 203 x 71 x 180 cm | 80 x 28 x 71 in 203 x 71 x 180 cm | 80 x 28 x 67 in 203 x 71 x 170 cm | 80 x 28 x 72 in 203 x 71 x 183 cm | 80 x 28 x 72 in 203 x 71 x 183 cm |
| Product Weight | 340 lb / 154 kg | 340 lb / 154 kg | 340 lb / 154 kg | 278 lb / 126 kg | 280 lb / 127 kg | 286 lb / 130 kg |
| Power Requirements | Self-Powered | 120V | 120V | Self-Powered | 120V | 120V |
| Home Warranty** | | | | | | |
| | Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor | Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor | Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor | Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor | Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor | Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor |

■ Standard - Not offered

* Precor does not deny warranty claims based on user weight. Weight limits reported are recommended for best performance based on internal testing.

** These Precor warranties are based on in-home usage and are not warranted for commercial settings.

Experience™ Series Commercial Ellipticals Fitness Crosstrainers™ 800 Line



| MSRP | \$6,845 | \$7,845 | \$9,295 | \$10,295 | \$10,295 | \$11,295 |
|--|--|--|--|--|--|--|
| Console | | | | | | |
| Console Type | P30 Advanced LED display | P30 Advanced LED display | P62 10" LCD Capacitive Touch Screen | P62 10" LCD Capacitive Touch Screen | P82 15" LCD Capacitive Touch Screen | P82 15" LCD Capacitive Touch Screen |
| Features | | | | | | |
| Frame Color Options | Black or Silver | Black or Silver | Black or Silver | Black or Silver | Black or Silver | Black or Silver |
| CrossRamp® (Adjustable Incline Range) | Motorized & Converging | Motorized & Converging | Motorized & Converging | Motorized & Converging | Motorized & Converging | Motorized & Converging |
| CrossRamp® Elevation Levels/Range | 20 levels 10-35 degrees | 20 levels 10-35 degrees | 20 levels 10-35 degrees | 20 levels 10-35 degrees | 20 levels 10-35 degrees | 20 levels 10-35 degrees |
| Resistance Levels | 20 | 20 | 20 | 20 | 20 | 20 |
| Variable Stride Length | 21-25 in 53-63 cm | 21-25 in 53-63 cm | 21-25 in 53-63 cm | 21-25 in 53-63 cm | 21-25 in 53-63 cm | 21-25 in 53-63 cm |
| Step-Up Height | 8 in / 20 cm | 8 in / 20 cm | 8 in / 20 cm | 8 in / 20 cm | 8 in / 20 cm | 8 in / 20 cm |
| Handlebars | Fixed | Moving | Fixed | Moving | Fixed | Moving |
| Entertainment Options | - | - | Embedded | Embedded | Embedded | Embedded |
| User IDs | - | - | Unlimited with Preva® | Unlimited with Preva® | Unlimited with Preva® | Unlimited with Preva® |
| Custom Workouts per User ID | - | - | Unlimited with Preva® | Unlimited with Preva® | Unlimited with Preva® | Unlimited with Preva® |
| In-Workout Feedback Metrics | 18 | 18 | 18 | 18 | 18 | 18 |
| Pre-Programmed Workouts | 22 | 15 | 22 | 22 | 22 | 22 |
| Maximum Resistance | 720 Watts | 720 Watts | 720 Watts | 720 Watts | 720 Watts | 720 Watts |
| Recommended Maximum User Weight* | Tested up to 350 lbs / 159 kg | Tested up to 350 lbs / 159 kg | Tested up to 350 lbs / 159 kg | Tested up to 350 lbs / 159 kg | Tested up to 350 lbs / 159 kg | Tested up to 350 lbs / 159 kg |
| Dimensions (LxWxH) | 80 x 28 x 67 in 203 x 71 x 170 cm | 80 x 28 x 67 in 203 x 71 x 170 cm | 80 x 28 x 72 in 203 x 71 x 183 cm | 80 x 28 x 72 in 203 x 71 x 183 cm | 80 x 28 x 72 in 203 x 71 x 183 cm | 80 x 28 x 72 in 203 x 71 x 183 cm |
| Product Weight | 330 lb / 150 kg | 330 lb / 150 kg | 340 lb / 154 kg | 340 lb / 154 kg | 340 lb / 154 kg | 340 lb / 154 kg |
| Power Requirements | Self-Powered | Self-Powered | 120V | 120V | 120V | 120V |
| Home Warranty** | | | | | | |
| | Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor | Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor | Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor | Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor | Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor | Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor |

■ Standard - Not offered

* Precor does not deny warranty claims based on user weight. Weight limits reported are recommended for best performance based on internal testing.

** These Precor warranties are based on in-home usage and are not warranted for commercial settings.